

MIG/MAG welding torches in liquid-cooled version are the perfect answer to the needs of welders for the execution of the most diverse jobs. The non-slip coating and the new ball joint of the GRIP handle provide you an exceptional working comfort.

DESCRIPTION



Torch designed for suction and fume extraction at the gas source on the principle of the standard MIG/MAG torches. Combined with a BINZEL filter vacuum cleaner or connected to a central vacuum system, the suction torch protects the welder's immediate environment.

FEATURES

- **Max current (Imax) :** 500 A : 500 A : CO2 and 450 A : Ar/CO2
In pulsed mode, these capacities are reduced by 35%
- **Duty cycle:** 500 A @ 100 %
- **Wire diameter:** 1,0 to 2,4 mm
- **Length:** 4 m



CONSUMABLES

Torch



Tip support & diffusers



042940



043022

Contact tubes



	Steel	Alu
Ø 0.8	041790	
Ø 1.0	419803	419766
Ø 1.2	419810 ●	419773
Ø 1.4	419827	
Ø 1.6	419834	041080
Ø 2.4	040533	

Nozzles



Suction

Ø 16

040588

+



welding

Ø 16

042315

Liner

	Ø 0.6/0.8	Ø 1.0 & 1.2		Ø 1.2 & 1.6		Ø 1.6 & 2.4
	4 m	4 m	5 m	4 m	5 m	4 m
Steel	041837	041844 ●	062276	418424	062283	040526
Teflon	044050	044067	-	044074	-	-
Carbon	039834	039827	062313	039810	-	-

● Original steel equipment