

The **GYSDUST SELF EXTRACTOR** is a pneumatic dust-extraction unit for sanding-dust designed specifically for car-body repair. This brand-new suction system, developed by GYS' expert engineers, combines high suction performance with low air consumption. ATEX certified, this appliance is suitable for aluminium sanding-dust from car-body repairs.

MAIN ADVANTAGES

■ **Efficient:** This powerful GYS suction system achieves high suction levels with low air consumption.

■ **Lever :**

ON position: continuous operation of the vacuum.
AUTO position: when the operator turns on the sander, the vacuum starts, when the operator turns off the sander, the vacuum stops.



■ **ATEX certified:**

- suitable for explosive atmospheres
- suitable for using abrasives on aluminium car bodies

■ **Practical:** its two large \varnothing 6" wheels make it easy to move around the workshop.

■ **Easy to use:** no maintenance required. No moving parts. No filter to clean.

■ **Adjustable sanding pressure** and pressure gauge meaning this machine can be used with all types of commercial sander.



ACCESSORIES INCLUDED



1 earth clamp



1 dust bag
(PN. 058880 - 5 bags)



1 hose 9' 84"
| \varnothing 29 mm



ATEX Catégorie
Groupe II - Catégorie 3



Patent in
progress

FEATURES

Bag capacity	15, 5 lb
Air flow	21 CFM
Air consumption	12 CFM
Suction power	1 150 mm H2O
Noise level	70 dB (A)
Hose dimensions	\varnothing 29 mm 9' 84" long

OPTIONAL SANDER



**Pneumatic orbital sander
with \varnothing 6" buffing pad
MIRKA PRO S 650HP
PN. 071346**